

Self-Service Ordering USER GUIDE





TABLE OF CONTENTS

The Self-Service Ordering User Guide is designed as a quick reference guide for https://www.genentechmaterials.com/pulmozyme.

Site Overview	3
How to Register a CF Center Account	4-5
Ordering Materials With a CF Center Account	6-10
How to Register an HCP Account	11
Ordering Materials With an HCP Account	12-16

INDICATION AND IMPORTANT SAFETY INFORMATION

INDICATION

Pulmozyme (dornase alfa) is indicated, in conjunction with standard therapies, for the management of pediatric and adult patients with cystic fibrosis (CF) to improve pulmonary function.

In CF patients with an FVC \ge 40% of predicted, daily administration of Pulmozyme has also been shown to reduce the risk of respiratory tract infections requiring parenteral antibiotics.

IMPORTANT SAFETY INFORMATION

Pulmozyme is contraindicated in patients with known hypersensitivity to dornase alfa, Chinese Hamster Ovary cell products, or any component of the product.

The most common adverse reactions associated with the use of Pulmozyme include: voice alteration, pharyngitis, rash, laryngitis, chest pain, conjunctivitis, rhinitis, decrease in FVC of \geq 10%, fever, dyspepsia, and dyspnea. There have been no reports of anaphylaxis attributed to the administration of Pulmozyme. Mild to moderate urticaria and mild skin rash have been observed and have been transient.

PEDIATRIC USE

The safety and effectiveness of Pulmozyme in conjunction with standard therapies for cystic fibrosis have been established in pediatric patients. Use of Pulmozyme in pediatric patients is supported by evidence in the following age groups:

- Patients 5 to 17 years of age: A randomized, placebo-controlled trial of 303 of clinically stable cystic fibrosis patients 5 to 17 years of age who received Pulmozyme.
- Patients less than 5 years: Extrapolation of efficacy data in patients 5 years of age and older with additional safety data in 65 pediatric patients
 aged 3 months to less than 5 years who received Pulmozyme 2.5 mg daily by inhalation for 2 weeks.

The safety of Pulmozyme, 2.5 mg by inhalation, was studied with 2 weeks of daily administration in 98 pediatric patients with cystic fibrosis 3 months to 10 years of age (65 aged 3 months to < 5 years, 33 aged 5 to \leq 10 years). The PARI BABYTM reusable nebulizer (which uses a facemask instead of a mouthpiece) was utilized in patients unable to demonstrate the ability to inhale or exhale orally throughout the entire treatment period (54/65, 83% of the younger; and 2/33, 6% of the older patients). Overall, the nature of adverse reactions was similar to that seen in the placebo-controlled trials in older patients. The number of patients reporting cough was higher in the younger age group as compared to the older age group (29/65, 45%; compared to 10/33, 30%) as was the number reporting moderate to severe cough (24/65, 37%; compared to 6/33, 18%). The number of patients reporting rash (4/65, 6% as compared to 0/33, 0%).

You may report side effects to the FDA at **1-800-FDA-1088** or <u>www.fda.gov/medwatch</u>. You may also report side effects to Genentech at **1-888-835-2555**.

For further information, please see the Pulmozyme full Prescribing Information.



unt | Contact A Rep | 🐂 (0) | User Guide

Click the "Click here" link to go to the page where you can login with your CF Center ID and password. You can also register your center.

Click the "Login" link to login to the site or register. Click the "Create Account" link to create a NEW HCP account. Click the "Contact A Rep" link to be redirected to a form to reach out to a Pulmozyme rep. Click the cart icon to view items in your cart. Click the "User Guide" to launch a digital version of this user guide. Click the "pulmozyme.com/hcp" link to be directed to that location. Click the Prescribing Information, for the most up-to-date Pulmozyme (PI) information.

Contact information feature includes email or phone contact details, and a link to the user guide.

Click in any item box to launch the "Item Spotlight" page. Here you can view more images and details about an item.

> QUESTIONS? Contact us at genentechmaterials@mysgi.com or 877-946-5348

Site Overview

Important Safety Information & Inc Important Safety Information

PRODUCT INFORMATION

ch, we're

Filter by

Pulmozyme

Show All
 Patient Support

Access Support
 Other

Pulmozyme Pulmozyme PulmonoLOGY

Show All

Datient Supr

PZ C

0~

To Use Instructions Le

Access Support

Othe

in FVC of ≥ 10%, fewer =

Pulmozyme Resource Center: Supporting you and your patients throughout cystic fibrosis (CF) treatment,

国家のの

Pulmozyme Prescriber Se

Back to Top

Indication and Usage



Be sure to add genentechmaterials@mysgi.com to your safe sender list or address book to ensure you receive emails regarding your account, orders or questions.





(Support materials plus devices)

PRODUCT INFORMATION	info CF (you ID a	rmation to verify your Center. Once validated will receive your Center nd temporary password.	Create Account Contact A Rep 🏹(0) User Guide
	onals in		Visit pulmozyme.com/hcp Prescribing Information
dornase alfa	DLOGY		
Please enter your center's information below. W	e will be in contact with you shortly, once you acco	ount is verified.* Indicates a required fie	əld.
Center Name*		City*	
Center Speciality*		State*	
SELECT	*	Select	•
Last Name*		Email*	
Address 1*		Phone Number*	
Address 2			
Address 3			
NOTICE: Once you register your account, you	will NOT be able to resubmit or re-register.		
Submit			
Genentech A Member of the Rache Group	Contact Us Privacy Policy T © 2022 Genentech USA nr. All rights reserved. This site is	erms and Conditions Cookie F	Preferences Orders
	\		
Click the submit button to send the form for CF Center validation.	Note: Once you register your account, you will NOT be able resubmit or re-register.	· to	

Enter all of the required



(Support materials plus devices)

<image/> <complex-block> Definition Definition <!--</th--><th>visic pulmozymeconymep - prescribing information</th><th></th></complex-block>	visic pulmozymeconymep - prescribing information	
<text></text>	Pulmozyme conase alig	
<text></text>	Imozyme Resource Center: Supporting you and your patients throughout cystic fibrosis (CF)	
Image: state Image: state	nentech, white committed to providing information designed to help you help your palents. The following resources were developed to support the appropriate use of Pulmozyme. regression, contact us at <u>geneteck/materials/itempig.com</u> , by phone at 877-946-5348, or review the <u>later Calde</u> above.	
Image: Second	litor by Show All	
Image:	ulmozyme Nebulizers	
• regret • regret • regret • regret • regret • regret • regret 	Show All Nebulizers	_
Image: Construction Image: Construction Image: Construction Image: Construction Image: Construction Image: Construction Image: Construction Im	Patient Support	
<complex-block>Idea<</complex-block>	Access Support Other	
And the second of the second of the secand	Sami the Sant Associal Mark Nobulian Sidestream Monthelese Tucker The Turtle Mask	
<complex-block>Vertex spaceImage: Space<</complex-block>	Sam un seal verson mass. Heodilizer studsuream mourpiece Sidestream	
<complex-block></complex-block>	Patient Support	
<complex-block>Image: product produc</complex-block>		
<complex-block>Image: Card program factor is Card program factor is<b< td=""><td></td><td></td></b<></complex-block>		
Z Cegr program Brechter Participation Image: Comparison of the state s		
<complex-block></complex-block>	PZ Co-pay Program Brochure Pulmozyme® Cooler Bag Pulmozyme Teen & Young Adult Transition Book	
<complex-block></complex-block>		
<complex-block></complex-block>		
<complex-block>Textion Club Book : Step 1Textin Club Book : Step 2Image: Club Club Club Club Club Club Club Club</complex-block>		
Transition Guide Book: Stage 3Transition Guide Book: Stage 3Image: Guide Book: Stage 3Image: Guide Book: Stage 3Image: Guide Book: Stage 4Image: Guide Book: Stage 3Image: Guide Book: Stage 3Image: Guide Book: Stage 3Image: Guide Book: Stage 4Image: Guide Book: Stage 3Image: Guide Book: Stage 5Image: Guide		
<complex-block></complex-block>	Transition Guide Book: Stage 1 Transition Guide Book: Stage 2 Transition Guide Book: Stage 3	
<complex-block></complex-block>	The Los too take	
<complex-block>Image: Barbon barbonImage: Barbon barb</complex-block>		
DurangementDurangementDurangementDurangementImagem		
<complex-block></complex-block>	Pulmozyme Who I Am Book Pulmozyme Quien Soy Yo Book [English] (Spanish) Pulmozyme Nebulizer Sticker	
<complex-block> Image: state is included by the st</complex-block>		
<complex-block> Image: Second seco</complex-block>		
How PZ Works Brochure How PZ Works Brochure How PZ Works (Spanish) How PZ Works (Spanish) <td></td> <td></td>		
How P2 Works (Spenkh) Mucus Model Image: Spenkh in the spenkh		
	How PZ Works Brochure How PZ Works (Spanish) Mucus Model	
Image: Second secon		
Very To Use Instructions Leave Princip/ Consert Patient Consert Form Other		
Image: Section		
Behind Dim Dim Access Support Image: Dim Dim Patient Consent Form Other	Annu To lise instructions Leave Einancial Assistance Overview Distinguistics Service	
Access Support	Behind (Spanish) Form	
Image: Constant Form Other Image: Constant Form	Access Support	
Patient Consent Form		
Patient Consent Form Other		
Patient Consent Form Other		
Other	Patient Consent Form	
	Other	
	Crimer Colores	
E (1111) E (1111)		

Once logged into your CF Center account, you can now begin ordering masks.



(Support materials plus devices)





(Support materials plus devices) Due to Genentech Click the "Update" button policy, there are to update your cart, after allocations set for you have adjusted your each CF Center. quantitiy. PRODUCT Sample CF Center | Contact A Rep | 🐂 (1) | User Guide | Logout INFORMATION Visit **pulmozyme.com/hcp** | Prescribing Information Pulmozyme' dornase alfa INMALATION SOLUTION Pulmozyme Resource Center: Supporting you and your patients throughout cystic fibrosis (CF) treatment. **Your Cart** × At Genentech, we're committed to For any questions, contact us at g Sami the Seal Aerosol Mask Item # PZNEB-SAMISEALMASK Filter by **Qty.** 5 Sami the Seal Aerosol Mask Annual Allocation Pulmozyme Remaining for your CF Center: 48 Due to Genentech policy, there are allocations set for each CF Center. If Show All you would like to request more masks, please contact us at Update Remove Nebulizers genentechmaterials@mysgi.com or call us at 877-946-5348 Monday -Friday, 8am - 8pm Eastern. Patient Support Access Support Continue Shopping Checkout Other Tucker The Turtle Mask Sidestream Sami the Seal Aerosol Mask Nebulizer Sidestream Mouthpiece Patient Support OP Click the "Remove" link to Due to Genentech policy, Click the "Continue Shopping" Click the "Checkout" button clear the item from there are allocations set for button to proceed back to main to proceed to the your cart. each CF Center. landing page. checkout page.

QUESTIONS? Contact us at genentechmaterials@mysgi.com or 877-946-5348

CF CENTER ACCOUNT



(Support materials plus devices)

Click the "EDIT" link to update the contact information and the shipping address.

PRODI INFORM	JCT ATION	Sample CF Center Co Visit p u	ontact A Rep]={() User Guide Logout
Checkout 1. Items Ordered	For Professionals in PULMONOLOGY Sami the Seal Aerosol Mask		
2. Delivery Deta	Item # PZNEB-SAMISEALMASK Sami the Seal Aerosol Mask Qty. 5		
3. Please Confin	SHIP TO: Sample CF Center 1234 Anywhere St. Suite 203 Anytown, ST 12345 United States of America (U.S.A)	CONTACT INFORMATI Sample CF Center samplecfcenter@hospital.cor 123-456-7890	ON: EDIT
 By checkin communic, patients wi I would like 4. Place Order I'm not a robot Place Order 	g this box and submitting this form, you certify that you are a he titions about your order. Genentech's intent is to only provide inf thin the FDA-approved indications for these products.	ealth care professional licensed in the United States or its territorin formation to health care professionals licensed in the United State entech and its agents in the future regarding Genentech products	as and are indicating that you wish to receive s or its territories who would likely be treating and related disease education.
Important Safety Important Safety Pulmozyme is contrain product.	Information & Indication Information dicated in patients who known hypersensitivity to domase alfa,	Chinese Hamster wary cell products, or any component of the	Back to Top Indication and Usage Pulmozyme® (domase alfa) is indicated for datily administration in conjugation with
You must verify that you are a certified health care provider in the United States. You will not be able to place the order until you do so.	Click the "Place Order" button to complete your order.	You must verify you are not a bot. To do this you must select the check box of the reCAPTCHA.	QUESTIONS? Contact us at genentechmaterials@mysgi.com or 877-946-5348



CF CENTER ACCOUNT (Support materials plus devices) If tracking is available, you can click this link and will be directed to your item tracking information. PRODUCT Sample CF Center | Contact A Rep | 📕 (1) | User Guide | Logout INFORMATION Visit **pulmozyme.com//hcp** | Prescribing Information Pulmozyme dornase alfa Management PULMONOLOGY ornase alfa INHALATION **Recent Orders** Order Date -Order # -Status -Ship To Name -Copy Order View Details 03/02/2021 8276 In Process Sample CF Center R . SHIPPING INFORMATION: SHIP TO: Sample CF Center Ship Date: Ship Via: FedEx Ground 1234 Anywhere St Anytown, ST 12345 Tracking # **Nebulizer Sidestream Mouthpiece** Item # PZNEB-SIDESTREAMMOUTH Nebulizer Sidestream Mouthpiece Due to Covid-19 there is a high demand for respiratory devices and accessories. Please note there may be a delay providing mouthpieces due to a backorder of requests Qty.1 Pulmozyme® Cooler Bag Item # M-US-00003522(v1.0) The Pulmozyme insulated cooler bag was developed for patients to help transport their Pulmozyme Qty. 1 P 02/23/2021 8274 In Process Sample CF Center Search Orders mportant Safety Information & Indication Back to Top 🔨 Inportant Safety Information Indication and Usage Click the "Search Orders" If there are no items in your Clicking the carrot icon button to launch a search cart, then the copy order will expand or collapse the box where you can search icon will be active and you details about an item you **QUESTIONS?** Contact us at your placed orders. can copy that order. recently ordered. genentechmaterials@mysgi.com or 877-946-5348



HCP ACCOUNT

(Support materials only; no devices)

PRODUCT INFORMATION	Login Create Account Contact A Re	⊧p ႃၴၴၴၴၴၴၴၴၴ (0) User Guide
	Visit pulmozyme.com/hcp	Prescribing Information
Create a New Account		
Account Information		
Please complete form below to create a new account. * Indicates a required field.		
Profession In My Practice*	Specialty*	
Select	Select	•
First Name*	Last Name*	
Institution*	Email*]
Phone Number*	Address 1*	
Address 2	Address 3	
Citut	State*	
	Select	-
Zip*		
Create Login		
Username* Copied from what is entered in email above.	Password*	
	Confirm Password*	
Create Account		
A		
	1	
Genentech Contact Us	Privacy Policy Terms and Conditions Cookie Preferences Orders	
A Member of the Roche Group	Inc. All rights reserved. This site is intended for US residents only.	
lick the "Create Account" Enter all of the	3	
utton to create your required inform	nation	
aterials account and you to create your	НСР	
ill then be redirected to materials acco	ourt.	CTIONCO O I
ie main landing page.	QUE	SIIUNS? Contact u
		ntoonmatoriala//mai/ea/







HCP	ACCOUNT	

(Support materials only; no devices)

Enter all of the required	
information to complete the	
form.	
torm.	

Click the "click here" link to go to the login page.

		Login	Create Account Contact A Rep 국(0) User Guide Visit pulmozyme.com/hcp Presclibing Information
Download	For Professionals in PULMONOLOGY		
	Patient Consent Form Item # M-US-00002802(v1.0) The Patient Consent Form replaces the PAN. health information with the practice and the p	This form is signed and dated by the patient, giving writte atient's health insurance plan.	n permission for Genentech Access Solutions to discuss his or her
2. Please Conf Please complete th * Indicates a requir Profession In My Select	irm ie information below to place your order. If you would like to ed field. Practice*	login, or create an account, you will not be required to fill Specialty* T Select	n the information below. To login, or create an account, <u>click here</u> .
First Name*	ng this box and submitting this form, you certify that you are	Last Name* Email* a health care professional licensed in the United States o	r its territories and are indicating that you wish to receive
Communic patients w I would lik J. Finish Down	e to register for Genentech updates and to be contacted by	Genentech and its agents in the future regarding Genente	ch products and related disease education.
Finish Download Important Safe Important Safe Pulmozyme is contr product. The most common a	ty information & Indication ty Information aindicated in ratients with known hypersensitivity to domase adverse reactions associated with the use of Pulmozyme inc	alfa, Chinese Hamster Ovary cell products, or any comp lude: voice alteration, pharyngitis, rash, laryngitis, chest p	Back to Top A Indication and Usage onent of the Pulmozyme® (dornase alfa) is indicated for daily administration in conjunction with ain, standard therapies for the management of
You must verify that you are a certified health care provider in the United States. You will not be able to place the order until you do so.	Click the "Finish Download" button to finish downloading your item.	You must verify you are not a bot. To do this you must select the check box of the reCAPTCHA.	QUESTIONS? Contact us at genentechmaterials@mysgi.com



HCP ACCOUNT

(Support materials only; no devices)

Click the "Update" button to update your cart, after you have adjusted your quantity.

TA	TENTION: In order to view and order masks, ye	ou must be logged in as a registered CF Center. <u>Click her</u>	≘ to Login/Sign Up.
PRODUCT INFORMATION		Login Create Visi	Account Contact A Rep] [1] User Guide
O Pulmozyme dornase alfa	For Professionals in PULMONOLOGY		
Pulmozyme Reso treatment. At Genentech, we're committed to For any questions, contact us at gr Filter by Pulmozyme Show All Patient Support Access Support Other	Your Cart Pulmozyme Teen & Im # M-US-00014324(rd). This book is for teens and adverent to their teatment years and into adulthood.	Young Adult Transition Book a) young adults with CF to help them remain regimens as they transition through their teen Continue Shopping	Checkout
Important Safety Informati Important Safety Informati Pulmozyme is contraindicated in pat product.	on & Indicetion on ients with known typersensitivity to dornase alfa, (Chinese Hamster Ovary cell products or any component of th	See More Indication and Usage Pulmozyme (formase alfa) is indicated, in conjunction with standard therapies, for the
The most common adverse reaction	Click the "Remove" link to clear the item from your cart.	cice alteration, pharyngitis, rash, laringitis, chest pain, Click the "Continue Shopping" button to proceed back to main landing page.	Click the "Checkout" button to proceed to the checkout page.

genentechmaterials@mysgi.com or 877-946-5348



HCP ACC (Support mat	COUNT terials only; no devices)	Enter all of required in to complet	i the formation e the form.	Click the "click here" link to go to the login page.
	PRODUCT INFORMATION		Login	Create Account Contact J, Rep 🗮 (1) User Guide
	Checkout			
	Pulmozyme Teen & Young A Item # M-US-00014324(v1.0) This book is for teens and young adult Qty. 5	dult Transition Book	dherent to their treatment regime	ens as they transition through their teen years and into adulthood.
	2. Delivery Details Please complete the information below to place your order. If you would * Indicates a required field. Profession In My Practice* Select First Name*	l like to login, or create an accou	nt, you will not be required to fill i Specialty* Select Last Name*	n the information below. To login, or create an account, <u>click here</u> .
	Email*		NPI Phone Number*	
	Address 3 State* Select 3. Please Confirm		City*	
	By checking this box and submitting this form, you certify that communications about your order. Genentech's intent is to or patients within the FDA-approved indications for these produ I would like to register for Genentech updates and to be cont	t you are a health care profession nly provide information to health cts. acted by Genentech and its age	onal licensed in the United States care professionals licensed in the nts in the future regarding Genen	or its territories and are indicating that you wish to receive e United States or its territories who would likely be treating tech products and related disease education.
You must verify that you are a certified health care provider in the United	4. Place Order			
States. You will not be able to place the order until you do so.	Click the "Place Order" button to complete your order.	You must a bot. To o select the the reCAP	verify you are not do this you must check box of TCHA.	QUESTIONS? Contact us at genentechmaterials@mysgi.com or 877-946-5348



ICP ACCOUNT			
Support materials only	; no devices)		If tracking is available, you can click this link and will be directed to your item tracking information.
PRODUCT INFORMATION		Samp	Die HCP Contact A Rep `` \((1) User Guide Logout Visit pulmoz/me.com/hcp Prescribing Information
C Pulmozyme' For dornase alfa isuatation PU	Professionals in MONOLOGY		
Recent Orders			
Order Date - Orde	r # ▼ Status ▼	Ship To Name -	Copy Order View Details
	SHIP TO: Sample HCP 1234 Anywhere St. Anytown, ST 12345	SHIPPINC I Ship Date: 06/ Ship Via: FedE Tracking #:	17/2022 Ex Ground
Pulm in the m This b Qty.	Nozyme Teen & Young Adult Train M-US-00014324(v1.0) pook is for teens and young adults with CF t	nsition Book	ens as they transition through their teen years and into adulthood.
Search Orders	& Indication		Back to Top 🔨
Important Safety Information Pulmozyme is contraindicated in patients product. The most common adverse reactions ass conjurctivitis, rhinitis, decrease in FVC of administration of Pulmozyme. Mild to mor	with known hypersensitivity to dornase alfa ociated with the use of Pulmozyme include ≥ 10%, fever, dyspepsia, and dyspnea. Th ferate urticaria and mild skin rash have be	a, Chinese Hamster ovary cell products, or any comp : voice alteratim, pharyngitis, rash, laryngitis, chest p ere have been no reports of anaphylaxis attributed to an observad and have been transient.	bonent of the Pulmozyme (dornase alfa) is indicated, in conjunction with standard therapies, for the management of pediatric and adult patients with cystic fibrosis (CF) to improve pulmonary function.
Pediatric Use The safety and effectiveness of Pulmozyr Pulmozyme in pediatric patients is suppor • Patients 5 to 17 years of age: A ran	ne in conjunction with standard therapies f ted by evidence in the following age group domized, placebo-controlled trial of 30s of	oucystic fibrosis have been established in pediatric pa s: clinically stable cystic fibrosis patients 5 to 17 years	In CF patients with an FVC ≥ 40% of predicted, daily administration of Pulmozyme has also been shown to reduce the risk of respiratory tract infections requiring parenteral antibiotics.
		/	
Click the "Search Orders" button to launch a search	If there are no items in cart, then the copy orde	your Clicking the carro er will expand or col	t icon Ilapse the tom you
box where you can search your placed orders.	can copy that order.	you details about an r recently ordered.	QUESTIONS? Contact us genentechmaterials@mysgi.c or 877-946-53

Genentech A Member of the Roche Groud

© 2022 Genentech USA, Inc., So. San Francisco, CA

All rights reserved. M-L

M-US-00012616(v2.0) 8/22

